

KEEP OUT OF THE REACH OF CHILDREN

AgriSiL[®]

Plant available silicon formulation

Constituents: 25g/L stabilised ortho silicic acid

AgriSiL is a patented formulation of silicic acid which provides growers with a known level of Plant Available Silicon (PAS).

AgriSiL contains 25g/L of stabilised silicic acid providing 8g/L of (PAS)

This unique formulation delivers the dual benefits of a low rate of application and superior efficacy.



9 342332 000473



Sipcam Pacific Australia Pty Ltd

Level 1, 191 Malop Street
Geelong VICTORIA 3220

© Registered trademark Sipcam Pacific Australia Pty Ltd



CONTENTS 5L

AgriSiL[®] Plant available silicon formulation

Silicon has been shown to benefit the soil, micro-organisms and plants as a bio-available molecule. When Plant Available Silicon (PAS) is applied, plants show improved growth, increased structure, reduced nitrate and sap pH levels, increased pest and disease resistance and better fruit shelf life.

Directions for Use

Restraints: Add AgriSiL to the tank of fresh water before adding other fertiliser or crop protection products.

DO NOT pre-mix AgriSiL for foliar or fertigation application. **APPLY** product within 3 hours of mixing in the spray tank.

CROPS	RATE	COMMENTS
BERRIES Strawberries, Blueberries	Foliar: 300 - 600ml/ha Drip Irrigation: 500ml/ha	Foliar application: Apply at a water rate of 400 to 1,000 L/ha. Apply from 3 - 5 leaf stage at 2 week intervals. Apply 4 to 6 applications throughout the crop.
TREES & NUTS	Foliar: 250ml/ha Drip Irrigation: 500ml/ha	Foliar application: Apply at a water rate of 400 to 1,000 L/ha. Apply from flowering through until 20 days before harvest. Apply 4 to 6 applications throughout the crop.
VEGETABLES CUCURBITS	Foliar - 250ml/ha Drip Irrigation : 500ml/ha	Foliar application: Apply at a water rate of 400 to 1,000 L/ha. Apply from 3 - 5 leaf stage at 2 week intervals. Apply 4 to 8 applications throughout the crop.
WINE & TABLE GRAPES	Foliar: 300ml/ha Drip Irrigation: 500ml/ha	Foliar application: Apply at a water rate of 400 to 1,000 L/ha. Apply from budburst/first leaves stage. Apply 4 to 6 applications throughout the crop.
RICE, CANE, CEREALS	300ml/ha	Foliar application: Apply at water rate 200-400L/ha, from 2-3 leaf stage throughout the crop 4-6 applications.
TURF	200 ml/ha 350 ml/ha	Foliar application: Apply fortnightly in a water rate of 200-400 L/ha. Foliar application: Apply monthly in a water rate of 200-400 L/ha.

SAFETY & FIRST AID: For specialist advice in an emergency phone 1800 033 111 Australia wide. If poisoning occurs contact a doctor or Poisons Information Centre on 13 11 26.

For a Safety Data Sheet visit our website.



G.H.S STATEMENTS

HAZARDS H315: Causes skin irritation. H318: Causes serious eye damage. H360: May damage fertility or the unborn child.

PREVENTION P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use. P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P260: Do not breathe mist, vapours, spray. P264: Wash hands thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves / protective clothing / eye protection / face protection. P281: Use personal protective equipment as required.

RESPONSE P302+P352: IF ON SKIN: Wash with plenty of soap and water. P321: Specific treatment (see First Aid Measures on Safety Data Sheet). P332+P313 If skin irritation occurs: Get medical advice/attention. P362: Take off contaminated clothing and wash before reuse. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician. P308+P313: IF exposed or concerned: Get medical advice/attention.

STORAGE P405: Store locked up.

DISPOSAL P501: Dispose of contents and container in accordance with local, regional, national, international regulations.

NOTICE TO BUYER: This product must be used in accordance with the directions for use. Where this product is not a good of a kind ordinarily acquired for personal, domestic or household use or consumption under the Australian Consumer Law, Sipcam's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.